




Pas Reform Tray transfer system

For transferring all eggs from farm to setter
trolley simultaneously



Pas Reform
Hatchery Technologies



Tray transfer system

Benefits

Unlike other systems, the Tray transfer system saves time and manpower by transferring all trays from farm trolley to setter trolley simultaneously. Just one operator can transfer and load more than 150,000 hatching eggs per hour, with a smooth, gliding action that protects the fertile eggs from any sudden movements or shocks, to prevent the incidence of hairline cracks. Easy to operate, the Tray transfer system is ergonomically designed for operator comfort while undertaking this highly repetitive task, constructed of easy-to-clean stainless steel and requires only minimal maintenance.


How it works

- Operator pushes the farm trolley filled with loaded setter trays into the tray transfer system, locks the trolley into position and closes the door
- Operator sets the tray transfer system's pusher into operation, which smoothly and gently pushes all setter trays simultaneously onto a tray collector
- Operator then removes the empty farm trolley and replaces it with an empty setter trolley
- The tray collector guides adjust automatically to the correct pitch for the setter trolley
- All the setter trays are pushed over and loaded into the setter trolley at the same time
- Operator exchanges the now filled setter trolley for a filled farm trolley, to repeat the process
- The whole process is completed in under two minutes

In a single, smooth movement, the pusher (right) moves all the setter trays simultaneously onto the tray collector

Related products

- ▶ SmartTray™ 150
- ▶ SmartTray™ 162
- ▶ Farm trolley
- ▶ Setter trolley



Technical Specifications

Capacity	> Up to 150,000 hatching eggs (30 trolleys) per hour
Installed power	> 4 kW
Air consumption	> 33,33 litre per minute at 8 bar
Dimensions (LxWxH)	> 2900 x 2100 x 2400 mm; Minimal floor space required
Material	> Easy to clean stainless steel AISI304 construction
Weight	> 1,400 kg
Suitable for	> Pas Reform farm and setter trolleys
IP Marking	> Motors IP55 > Sensors IP68 / IP69K > Control panel IP66



Pas Reform
Hatchery Technologies

P.O. Box 2
7038 ZG Zeddum
The Netherlands

Phone +31 314 659 111
Fax +31 314 652 575
info@pasreform.com
www.pasreform.com